

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 November 2009

(For the Period 15 October 2009 to 31 October 2009)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	QPL-781-18 NOT 1	Terminal, Wire Rope Swaging, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	1640	GS5		29-OCT-2009
M	QPL-7034-22 NOT 1	Pulleys, Groove, Antifriction Bearing, Grease Lubricated, Aircraft, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	1640	GS5		23-OCT-2009
M	QPL-8878-13 NOT 1	Turnbuckles, Positive Safetying, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	1640	GS5		29-OCT-2009
M	QPL-18375-9 NOT 1	Wire Rope, Flexible, Corrosion-Resisting, Nonmagnetic, for Aircraft Control (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	1640	GS5		29-OCT-2009
M	QPL-83420-15 NOT 1	Wire Rope, Flexible, for Aircraft Control, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	1640	GS5		29-OCT-2009
M	QPL-87161-9 NOT 1	Wire Strand, Nonflexible, for Aircraft Application (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	1640	GS5		29-OCT-2009
M	QPL-87218-5 NOT 1	Cable, Lockclad, for Aircraft Control (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	1640	GS5		29-OCT-2009
N	MIL-DTL-8815/31	Filter Elements, Non-Cleanable, Fluid Pressure, Hydraulic Line, 3,000 PSI, 5 Micron Absolute, -65 Degrees F to 275 Degrees F [CUST: AV]	A	1650	AV		16-OCT-2009
M	MIL-PRF-45307C NOT 2	Pump, Hydraulic, Axial Pistons: Manual, with Fire-Control Switch [CUST: AT]	A	2520	AT		22-OCT-2009
M	A-A-52443A	Lubricant, Mold, Tire, Silicone Base Emulsion (Metric) [CUST: AT]	A	2640	/	AT	19-OCT-2009
M	MIL-PRF-46795H	Generating System: Alternator, Rectifier, 60 Amperes, 28 Volts [CUST: AT CC]	A	2920	AT		29-OCT-2009
M	MIL-DTL-11040G(1) SUP 1	Belt, V: Engine Accessory Drive, General Specification for [CUST: AT YD 99 CC] [REVIEW: 71 AR MC MI SA SH SM]	A	3030	CC		15-OCT-2009
M	MIL-DTL-2902E	Wire Rope Lanyard, Single Leg, Oxygen Breathing Apparatus Safety Line [CUST: SH GS]	A	4010	GS5		26-OCT-2009
M	MIL-DTL-3903E	Wire Rope Assemblies, Single Leg, (Sling Type) [CUST: AT YD 99 GS] [REVIEW: 11 19 MI OS SH]	A	4010	GS5		27-OCT-2009
M	A-A-52539 NOT 2	Hooks, Hoist (Regular Eye) [CUST: AT] [REVIEW: IS]	A	4030	/	AT	22-OCT-2009
N	A-A-59841	Ascender, Mechanical [CUST: GL MC]	A	4240	/	GL	30-OCT-2009
M	MIL-DTL-83296B	Fittings, Corrosion Resistant Steel, High Temperature, High Pressure (3000 PSI), Hydraulic and Pneumatic, General Specification for [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730	CC		14-OCT-2009
M	MS27616B	Adapter Assembly, Flared, Straight, Tube to Hose - with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730	CC		14-OCT-2009
M	MS27617B	Adapter Assembly, Flared, 45 Degrees Elbow, Tube to Hose - with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730	CC		14-OCT-2009
M	MS27618B	Adapter Assembly, Flared, 90 Degrees Elbow, Tube to Hose - with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730	CC		14-OCT-2009
M	MS27623C	Sleeve, Hose Coupling [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730	CC		14-OCT-2009
M	MS27624B	Union, Nipple [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730	CC		14-OCT-2009
M	MS27625C	Wire, Retainer [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730	CC		14-OCT-2009
M	MIL-PRF-39005/11C(1)	Resistors, Fixed, Wire Wound (Accurate), Nonestablished Reliability and Established Reliability Style RBR80 and RBR81 1/ [CUST: EC CC]	A	5905	CC		20-OCT-2009
M	MIL-PRF-19978/1F	Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric, (Hermetically Sealed in Metal Cases), Styles CQ08, CQ09, CQ12, and CQ13 [CUST: CR EC 85 CC] [REVIEW: 19 99 MC]	A	5910	CC		15-OCT-2009
M	MIL-PRF-19978/2E	Capacitors, Fixed, Plastic (or Paper-Plastic) Dielectric, (Hermetically Sealed in Ceramic or Glass Cases), Style CQ20 [CUST: CR EC 85 CC] [REVIEW: 19 99 MC]	A	5910	CC		15-OCT-2009
M	MIL-DTL-55181/7D(1)	Connector, Electrical, Plug, Intermediate Power, Waterproof, 18 Pin Contacts, Solder Cup, 7.5 Amps [CUST: CR EC 85 CC] [REVIEW: 99]	A	5935	CC		19-OCT-2009
M	MIL-DTL-55181/8D(1)	Connector, Receptacle, Electrical, Waterproof, Panel Mount, 18 Contacts, 7.5 AMP [CUST: CR EC 85 CC] [REVIEW: 99]	A	5935	CC		19-OCT-2009
N	SAE-AS39029/113	Contact, Electrical Connector, Concentric Twinax, Pin, Size 8, MIL-DTL-38999 Series I, III, and IV [CUST: CR AS 85 CC] [REVIEW: 99 EC MC SH]	A	5935	AS		20-OCT-2009
N	SAE-AS39029/114	Contact, Electrical Connector, Concentric Twinax, Socket, Size 8, MIL-DTL-38999 Series I, III, and IV [CUST: CR AS 85 CC] [REVIEW: 16 99 EC MC SH]	A	5935	AS		20-OCT-2009
M	MIL-DTL-24558/13A NOT 1	Terminal Box, Connection, Submersible (15-Foot), 144-Terminal, 432-Wire, 600 Volts, Symbol No. 524.1 [CUST: SH GS4]	A	5940	GS4		30-OCT-2009
M	MIL-DTL-24558/16A NOT 1	Terminal Box, Connection, Submersible (15-Foot), 288-Terminal, 864-Wire, 600 Volts, Symbol No. 453 [CUST: SH GS4]	A	5940	GS4		30-OCT-2009
M	MIL-DTL-24558/19A NOT 1	Terminal Box, Connection, Submersible (15-Foot), 4-Terminal, 8-Wire 1000 Volts, Symbol No. 444 [CUST: SH GS4]	A	5940	GS4		30-OCT-2009
M	MIL-DTL-24558/26A NOT 1	Terminal Box, Connection, Submersible (15-Foot), 500 Volts, Three-Phase Symbol 572.1, Six Branch Lugs for Two 3-Conductor 40 MCM Cables, Six Bus Lugs for Two 3-Conductor 75 MCM Cables [CUST: SH GS4]	A	5940	GS4		30-OCT-2009
M	MIL-DTL-24558/27B NOT 1	Terminal Box, Connection, Submersible (15-Foot), 500 Volts, Three-Phase, Symbol 573.1, Twelve Branch Terminals for Four 3-Conductor 40 MCM Cables; Six Main Bus Terminals for Two 3-Conductor 75 MCM Cables [CUST: SH GS4]	A	5940	GS4		30-OCT-2009
M	A-A-59287A NOT 1	Terminal, Stud Feedthru, Single [CUST: MI AS 85 GS4] [REVIEW: 99]	A	5940	/	GS4	30-OCT-2009
M	A-A-59288A NOT 1	Terminal, Stud, Feedthru, Single-Double [CUST: MI AS 85 GS4]	A	5940	/	GS4	30-OCT-2009
M	A-A-59289A NOT 1	Terminal, Stud, Feedthru, Double-Double [CUST: MI AS 85 GS4]	A	5940	/	GS4	30-OCT-2009
M	QPL-AS81824 NOT 2	Splices, Electric, Permanent, Crimp Style, Copper, Insulated, Environment Resistant (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5940	AS		02-NOV-2009
M	MIL-PRF-19500/169N	Semiconductor Device, Diode, Silicon, Switching, Types 1N3070, 1N3070-1, 1N3070UR-1, 1N4938, 1N4938-1, 1N4938UR-1, JAN, JANTX, JANTXV, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AS MI SM]	A	5961	CC		02-NOV-2009
M	MIL-PRF-19500/421G(1) NOT 1	Semiconductor Device, Dual Transistor, Unitized, NPN/PNP, Complementary, Silicon, Types 2N3838, 2N4854, and 2N4854U, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC] [REVIEW: 99 AR MC MI]	A	5961	CC		12-OCT-2009
M	MIL-PRF-19500/509D	Semiconductor Device, Transistor, NPN, Silicon, Power Types 2N6338 and 2N6341 JAN, JANTX, JANTXV, and JANS [CUST: CR 85 CC NA] [REVIEW: 19 99]	A	5961	CC		09-OCT-2009
M	MIL-PRF-19500/585H	Semiconductor Device, Diode, Silicon, Ultra-Fast Recovery, Power Rectifier, 1N6620 through 1N6625, 1N6620U through 1N6625U, 1N6620US through 1N6625US, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961	CC		20-OCT-2009

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-PRF-19500/587C(2)	Semiconductor Device, Diode, Silicon, Rectifier, Types 1N6661, 1N6662, 1N6663, 1N6661US, 1N6662US, and 1N6663US, JAN, JANTX, JANTXV, and JANS [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961		CC	20-OCT-2009
M	MIL-M-38510/53F NOT 1	Microcircuits, Digital, CMOS, Complimentary Pair Plus Inverter, and-or-Select Exclusive or Gates, Expandable 8-Input Gate Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	22-OCT-2009
M	MIL-M-38510/119B NOT 1	Microcircuits, Linear, Low Power, Low Noise, BI-FET Operational Amplifiers, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MI SH SM TD]	A	5962		CC	22-OCT-2009
M	MIL-M-38510/140A NOT 1	Microcircuits, Linear, Monolithic and Hybrid Silicon, Microprocessor Compatible, 12 Bit Analog-to-Digital Converters [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	22-OCT-2009
M	A-A-59178A NOT 1	Nipple, Electrical Terminal [CUST: AS 85 GS4] [REVIEW: 99 MC]	A	5975	/	GS4	30-OCT-2009
M	MIL-PRF-15733/34R	Filters and Capacitors, Radio Frequency Interference, Hermetically Sealed, Style FL90 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS AT AV MC MI OS SH]	A	59GP		CC	08-OCT-2009
M	A-A-59731A	Tube Fittings, Blown Optical Fiber [CUST: CR SH 85] [REVIEW: 13 19 93 99 DI]	A	6099	/	SH	01-OCT-2009
M	A-A-59551A	Wire, Electrical, Copper (Uninsulated) [CUST: CR AS 85 CC] [REVIEW: 06 99 AR CG MC MI SH]	A	6145	/	CC	22-OCT-2009
M	A-A-53367A NOT 2	Sonic Prophylaxis Unit, Dental, Portable, Air Driven [CUST: MD MS 03]	A	6520	/	MB	27-OCT-2009
M	A-A-59322B	Ohmmeter [CUST: 84] [REVIEW: 99]	A	6625	/	84	14-OCT-2009
N	A-A-59839	Decade Resistance Standard [CUST: 84] [REVIEW: 99]	A	6625	/	84	23-OCT-2009
M	QPL-10215-20 NOT 1	Speedometers; Tachometers; Flexible Shaft Assemblies; Flexible Shaft Assembly Cores and Adapters (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6680		GS8	22-OCT-2009
M	A-A-55827B	Chromium Trioxide, Technical [CUST: EA AS 68 GS] [REVIEW: AR CR MD1 MI OS]	A	6810	/	GS3	29-OCT-2009
M	A-A-59122A	Cupric Oxide, Technical [CUST: AR GS]	A	6810	/	GS3	05-OCT-2009
M	MIL-DTL-3277F(1)	Dye, Solvent Green 3 [CUST: EA]	A	6820		EA	27-OCT-2009
M	MIL-DTL-3284F(1)	Dye, Disperse Red 9 [CUST: EA]	A	6820		EA	27-OCT-2009
M	MIL-DTL-3668E(1)	Dye, 1,4-Diamino-2,3-Dihydroanthraquinone (Blue) [CUST: EA]	A	6820		EA	26-OCT-2009
M	QPL-AS8660-2 NOT 1	Silicon Compound NATO Code Number S-736 (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6850		AS	26-OCT-2009
M	QPL-AMS-C-19853-1 NOT 1	Carbon Removing Compound (For Use in Agitated Tank) (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6850		AS	22-OCT-2009
N	A-A-59838	Manual Dispensing Gun for Dual-Barrel Paint Cartridges [CUST: MI SH 11] [REVIEW: 84 99 AS CG FAS MR]	A	8010	/	SH	02-OCT-2009
M	QPL-83936-9 NOT 3	Remover Paint, Tank Type: for Aircraft Wheels, Landing Gear Components, and Other Aircraft and Age Components (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8010		84	30-OCT-2009
M	MIL-PRF-22191F(1)	Barrier Materials, Transparent, Flexible, Heat-Sealable [CUST: SM AS 11] [REVIEW: AT CC CR4 EA MC MI OS SA SH YD]	A	8135		AS	26-OCT-2009
M	MIL-P-60312C(2) NOT 2	Part, Molded, Plastic Foam, Polystyrene (for use with Ammunition) [CUST: AR]	A	8140		AR	16-OCT-2009
N	A-A-59840	Webbing, Mountaineering [CUST: GL MC CT]	A	8305	/	CT	29-OCT-2009
M	MIL-DTL-11589/145E	Ribbon, Coast Guard Unit Commendation [CUST: IH CG] [REVIEW: CT]	A	8455		IH	13-OCT-2009
M	MIL-DTL-11589/205D	Ribbon, Meritorious Unit Commendation, Coast Guard [CUST: IH CG] [REVIEW: CT]	A	8455		IH	13-OCT-2009
M	MIL-DTL-11589/392B	Ribbon, Outstanding Unit Award, Secretary of Transportation [CUST: IH] [REVIEW: CT]	A	8455		IH	13-OCT-2009
N	A-A-59836	Carabiner [CUST: GL MC]	A	8465	/	CT	02-OCT-2009
N	A-A-59837	Crampon, Mountaineering [CUST: GL MC CT]	A	8465	/	CT	08-OCT-2009
N	MIL-DTL-85633C NOT 1	Coveralls, Flyers, Anti-Exposure, CWU-62B/P, CWU-74/P, CWU-62C/P, CWU-86/P, and CWU-87/P [CUST: AV AS 99 CT] [REVIEW: NU]	A	8475		AS	22-OCT-2009
M	A-A-59173A	Grease, Silicone [CUST: MI OS GS] [REVIEW: CD PS]	A	9150	/	GS3	29-OCT-2009
M	MIL-STD-1605A	Procedures for Conducting a Shipboard Electromagnetic Interference (EMI) Survey (Surface Ship) [CUST: SH] [AMSC: N7573]	A	EMCS		SH	08-OCT-2009
N	TOP-1-2-622	Vertical Electromagnetic Pulse (VEMP) Testing [CUST: TE]	A	ISDA		TE	11-SEP-2009
N	TOP-2-2-620	Resistance of Armored Vehicles, and Vehicle Components, to Severe Shock [CUST: TE]	D	ISDA		TE	02-SEP-2009
N	TOP-9-2-027	Bridges and Equipment [CUST: TE]	A	ISDA		TE	15-SEP-2009
N	TOP-9-2-270	Water Supply and Treatment Equipment [CUST: TE]	A	ISDA		TE	15-SEP-2009
N	TOP-10-2-218	Shatter Gap Testing of Ceramic Body Armor [CUST: TE]	D	ISDA		TE	10-SEP-2009
N	DI-SESS-81785	Systems Engineering Management Plan (SEMP) [AMSC: D9101]	A	SESS		SE	14-OCT-2009
N	DI-TMSS-81784	Army S1000D Project Business Rules [AMSC: A9090]	A	TMSS		TM	15-OCT-2009

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-V-5523D(1) NOT 3	Valve, Relief, Hydraulic Pressure [CUST: AV 99 CC] [REVIEW: 71]	A	4820	CC		16-OCT-2009
M	MIL-PRF-62488A NOT 1	Amplifier, Audio Frequency [CUST: AT]	A	5820	AT		29-OCT-2009
M	MIL-DTL-62481A NOT 1	Intercommunication Control Unit [CUST: AT]	A	5820	AT		29-OCT-2009
M	MIL-PRF-19500/193F	Semiconductor Device, Diode, Silicon, Rectifier Types 1N457, 1N458, and 1N459, JAN [CUST: CR CC] [REVIEW: AR MI SM]	A	5961	CC		02-NOV-2009
M	MIL-M-38510/4D NOT 1	Microcircuits, Digital TTL, Multiple Nor Gates, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		22-OCT-2009
M	MIL-M-38510/7C NOT 1	Microcircuits, Digital, TTL, Exclusive or Gates, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		22-OCT-2009
M	MIL-M-38510/204F	Microcircuit, Digital, 2048-Bit, Schottky, Bipolar, Programmable Read-Only Memory (PROM), Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		21-SEP-2009
M	MIL-DTL-51485B(1)	Dye, Solvent Yellow 33 [CUST: EA]	A	6820	EA		27-OCT-2009

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	AGMA201.02	Tooth Proportions for Coarse-Pitch Involute Spur Gears (No S/S Document) [CUST: CR4 YD 99 CC]	A	3020		CC	01-OCT-2009
M	AGMA6010	Spur, Helical, Herringbone, and Bevel Enclosed Drives (No S/S Document) [CUST: CR4 YD 99 CC]	A	3020		CC	01-OCT-2009
M	API-BULL-1529	Hose, Fueling, Aviation (No S/S Document) [CUST: CR4 YD 99 CC] [REVIEW: 71 SH]	A	4720		CC	01-OCT-2009
M	NFPA-T3.20.14	Pneumatic Quick-Action Couplings - Plug Dimensions (No S/S Document) [CUST: AT AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	01-OCT-2009
M	SAE-J1453	Fitting - O-Ring Face Seal (No S/S Document) [CUST: AT SH 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	01-OCT-2009
M	NFPA1914	Testing Fire Department Aerial Devices (No S/S Document) [CUST: CR4 YD 99 CC] [REVIEW: 84]	A	4940		CC	01-OCT-2009
M	DOD-B-63545/2 NOT 4	Bolt, Ribbed Shoulder, Extended Shoulder, Wheel Mounting, Metric (No S/S Document) [CUST: AS 99 IS] [REVIEW: MC NS OS SH]	A	5306		IS	13-OCT-2009
M	QPL-81824-5 NOT 1	Splices, Electric, Permanent, Crimp Style, Copper, Insulated, Environment Resistant (S/S by QPL-AS81824)	A	5940		AS	23-OCT-2009
M	IPC-D275	Design Standard for Rigid Printed Boards and Rigid Printed Board Assemblies (No S/S Document) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AT CR4 EA]	A	5998		CC	28-OCT-2009
M	DOD-C-24529(6) NOT 1	Charges, Battery, Lift Truck and Pallet Transporter Battery Service (Metric) (S/S by A-A-59814) [CUST: SH] [REVIEW: GS]	A	6130		SH	13-AUG-2009
M	A-A-50815A NOT 1	Light, Desk High Intensity (No S/S Document) [CUST: MD MS 03]	A	6230	/	MB	15-OCT-2009
M	A-A-0051609 NOT 1	Sulfadiazine Silver Cream (No S/S Document) [CUST: MD MS 03]	A	6505	/	MB	09-OCT-2009
M	A-A-50813A NOT 1	Ball, Absorbent, Cotton or Rayon (No S/S Document) [CUST: MD MS 03]	A	6510	/	MB	09-OCT-2009
M	A-A-0051392 NOT 1	Sponge, Laparotomy, Radiopaque, 8 by 36 Inches (No S/S Document) [CUST: MD MS 03]	A	6510	/	MB	09-OCT-2009
M	A-A-0051547 NOT 1	Sponge-Brush, Surgical (No S/S Document) [CUST: MD MS 03]	A	6510	/	MB	09-OCT-2009
M	A-A-0051660 NOT 1	Manometer Set, Venous Blood Pressure (No S/S Document) [CUST: MD MS 03]	A	6515	/	MB	09-OCT-2009
M	A-A-54352 NOT 1	Tube, Connecting, Surgical Apparatus, Glass (No S/S Document) [CUST: MD MS 03]	A	6515	/	MB	09-OCT-2009
M	A-A-54366 NOT 1	Canister Assembly, Suction, Surgical (One Canister with Fifty Liners) (No S/S Documents) [CUST: MD MS 03]	A	6515	/	MB	09-OCT-2009
M	A-A-54368 NOT 1	Defibrillator and Cardioscope (Three Lead, Portable, with Charger) (No S/S Document) [CUST: MD MS 03]	A	6515	/	MB	09-OCT-2009
M	A-A-54379 NOT 1	Speculum, Otolarynx (Plastic, 4 MM, Disposable) (No S/S Document) [CUST: MD MS 03]	A	6515	/	MB	09-OCT-2009
M	A-A-54388 NOT 1	Tube, Tracheostomy, Double Cuff (No S/S Document) [CUST: MD MS 03]	A	6515	/	MB	09-OCT-2009
M	A-A-54393 NOT 1	Scissors, Corneal, Castroviejo (No S/S Document) [CUST: MD MS 03]	A	6515	/	MB	09-OCT-2009
M	A-A-54399 NOT 1	Speculum, Nasal (Vienna, 5-3/4 Inch) (No S/S Document) [CUST: MD MS 03]	A	6515	/	MB	09-OCT-2009
M	A-A-54535 NOT 1	Retractor, Mastoid, Jansen, 3-VS-3, Blunt Prongs (No S/S Document) [CUST: MD MS 03]	A	6515	/	MB	09-OCT-2009
M	A-A-54618 NOT 1	Curette, Chalazion, Meyhoefer (No S/S Document) [CUST: MD MS 03]	A	6515	/	MB	22-JUL-2009
M	A-A-51400A NOT 1	Test Kit, Fibrin and Fibrinogen Degradation Products, Determination (No S/S Document) [CUST: MD MS 03]	A	6550	/	MB	09-OCT-2009
M	A-A-50808 NOT 1	Urinometer, Squibb and Micro (No S/S Document) [CUST: MD MS 03]	A	6630	/	MB	09-OCT-2009
M	A-A-50802A NOT 1	Counter, Blood Cells, Differential (No S/S Document) [CUST: MD MS 03]	A	6640	/	MB	09-OCT-2009
M	A-A-50823 NOT 2	Felt, Sheet, Wool, White, Soft (No S/S Document) [CUST: MD MS 03]	A	8305	/	MB	09-OCT-2009
M	MIL-DTL-44159C(1) NOT 1	Ham Chunks, with Juices, Canned (See Notice 1 for Replacement Information) [CUST: GL SA 35 SS] [REVIEW: MC MD QM]	A	8905		SS	20-OCT-2009